

SAFETY DATA SHEET

FLAMETECH - FIRE TREATED WOOD

Prepared according to U.S. OSHA, CMA, ANSI, Canadian WHMIS, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Union Reach Regulation, Directives 67/548/EC & 1999/45/EC and CLP Regulation 1272/2008/EC

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

<u>1.1 Trade Name (as labeled):</u> FlameTech - Fire Treated Wood

Synonyms: N/A CAS No: Mixture

1.2 Product Use: Fire retardant lumber

1.3 Company Name: Performance Formulation Solutions (Formerly FRCT)

Company Address: 3465 Gribble Road
Company Address Cont: Matthews, NC 28104

Business Phone: 980-253-8880

1.4 Emergency Telephone Number: 980-253-8880

Date of Current Revision: February 21, 2023

Date of Last Revision: New

SECTION 2 - HAZARD IDENTIFICATION

EMERGENCY OVERVIEW: This product is a wood natural color to red tinted solid with an odor dependent on the wood product.

Health Hazards: Wood dust may cause skin and eye irritation. Exposure to the Proprietary Ingredient may be a danger to the unborn child.

Flammability Hazards: This product as sold is a non-flammable solid. Dust concentrations created while altering this product may be combustible.

Reactivity Hazards: None.

Environmental Hazards: The environmental effects of this product have not been investigated, however release may cause long term adverse environmental effects

US DOT Symbols: Not Regulated

EU and GHS Symbols:

Signal Word: Danger!

2.1 CLASSIFICATION OF SUBSTANCE OR MIXTURE IN ACCORDANCE WITH 29 CFR 1200 (OSHA HCS) AND THE EUROPEAN UNION DIRECTIVES:

This product does meet the definition of a hazardous substance or preparation as defined by 29 CFR 1910. 1200 or the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC, 2015/830/EU and subsequent Directives.

Components Contributing to Classification: Wood / Wood Dust, Proprietary Ingredient

2.2 Label Elements:		Component contributing to statement
GHS Hazard Classifications:	Reproductive Toxicity Category 1B	(Proprietary Ingredient)
	Combustible Dust	(Wood dust)
Hazard Statements:	H360 May damage fertility or the unborn child	(Proprietary Ingredient)
	May form combustible dust concentrations in air (during handling	(Wood dust)
	or processing).	

FLAMETECH - FIRE TREATED WOOD

		11 111 11 11 11 11 11 11 11 11 11 11 11
Prevention Statements:	P201 Obtain special instructions before use.	(Proprietary Ingredient)
	P202 Do not handle until all safety precautions have been read and understood.	(Proprietary Ingredient)
	P280 Wear protective gloves/protective clothing/eye protection/face protection.	(Proprietary Ingredient)
Response Statements:	P308+P313 IF exposed or concerned: Get medical advice/attention.	(Proprietary Ingredient)
Storage Statements:	None applicable to final product.	
Disposal Statements:	P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.	(Proprietary Ingredient)

2.3 Health Hazards or Risks From Exposure:

Symptoms of Overexposure by Route of Exposure:

The most significant routes of overexposure for this product are by contact with skin or eyes. The symptoms of overexposure are described in the following paragraphs.

Acute:

Inhalation: Wood dust may cause respiratory system irritation.

Skin Contact: Wood dust may cause moderate irritation to skin. Repeated exposure may cause skin dryness or cracking.

Eye Contact: Direct contact with wood dust to the eyes may be irritating.

Indestion: Wood dust may cause irritation is swallowed.

Chronic: Reproductive hazard.

Target Organs:

Acute: Eyes, skin

Chronic: Reproductive system

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS
--

Hazardous Ingredients:	WT%	CAS No.	EINECS No.	Hazard Classification
Wood	>95%	Not Listed	Not Listed	Combustible Dust
Proprietary Ingredient (Chemical)	<5%	Proprietary	Proprietary	Reproductive Toxicity 1B

Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

* Proprietary ingredients are Company Trade Secret - Business Confidential. PFS is withholding the specific chemical identity under provision of the OSHA Hazard Communication Rule Trade Secrets (1910.1200(i)(1)). The specific chemical identity will be made available to health professionals in accordance with 29 CFR 1910.1200 (i)(1) (2) (3) (4)...

SECTION 4 - FIRST AID MEASURES

4.1 Description of First Aid Measures:

Ingestion:

If product enters the eyes, flush with plenty of water or eye wash solution for several minutes. Remove contacts if present and easy to do. Seek medical attention if irritation persists.

Skin Contact:

Wash skin thoroughly with soap and water after handling. Seek medical attention if irritation develops and persists.

If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.

If product is swallowed, call physician or poison center immediately. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the

health professional.

Medical Conditions Generally Aggravated by Exposure:

Pre-existing skin, respiratory system or eye problems may be aggravated by prolonged contact.

4.2 Symptoms and Effects Both Acute and Delayed:

4.3 Recommendations to Physicians:

FLAMETECH - FIRE TREATED WOOD

Exposure to skin, eyes, and respiratory system may cause irritation.

Treat symptoms and eliminate overexposure.

SECTION 5 - FIRE FIGHTING MEASURES

5.1 Fire Extinguishing Materials:

Water Spray: Yes Carbon Dioxide: Yes

Use the following fire extinguishing materials: Foam: Yes Dry Chemical: Yes Halon: Yes Other: Any "C" Class

5.2 Unusual Fire and Explosion Hazards:


5.3 Special Fire-Fighting Procedures:

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Irritating and toxic fumes may be produced at high temperatures.

Explosive Sensitivity to Mechanical Impact: No Explosive Sensitivity to Static Discharge: No

- · Incipient fire responders should wear eye protection.
- Structural firefighters must wear Self-Contained Breathing Apparatus (SCBA) and full protective equipment.
- Isolate materials not yet involved in the fire and protect personnel.
 Move containers from fire area if this can be done without risk;
 otherwise, cool with carefully applied water spray.
- If possible, prevent run-off water from entering storm drains, bodies of water, or other environmentally sensitive areas.

Health Health Other



SECTION 6 - ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

Hazard Scale: 0 = Minimum 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic Hazard

6.2 Environmental Precautions:

Keep out of sewers, storm drains, surface waters, and soils.

6.3 Spill and Leak Response:

Small Spills:

 Collect material via broom or mop. Place in tightly sealed containers for proper disposal.

FLAMETECH - FIRE TREATED WOOD

- · Approach spill areas with caution.
- If liquid was introduced, create a dike or trench to contain material.
 Soak up with absorbent material such as clay, sand or other suitable non-reactive material.
- Place in leak-proof containers. Seal tightly for proper disposal.
- Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

SECTION 7 – HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling. Do not handle or store near heat, sparks, or flame.

7.2 Storage and Handling Practices:

Keep away from incompatible materials.

7.3 Specific Uses:

See section 1.2

Large Spills:

SECTION 8 - EXPOSURE CONTROL/PERSONAL PROTECTION

8.1 Exposure Parameters:

<u>Ingredients</u>	CAS No.	OSHA PEL	NIOSH PEL
Wood / Wood Dust	Not Available	15 mg/m³ Total Dust 5.0 mg/m³ Respirable fraction	15 mg/m³ Total Dust 5.0 mg/m³ Respirable fraction
Proprietary Ingredient	Proprietary	Not established	Not established

8.2 Exposure Controls:

Ventilation and Engineering Controls:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132), or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

etalis.	
Respiratory Protection:	Not required for properly ventilated areas. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.
Eye Protection:	Safety glasses or goggles are required. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.
Hand Protection:	Chemical resistant gloves are required to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.
Body Protection:	Use body protect appropriate to task being performed. If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties:

Appearance (Physical State and Color): Wood natural color or red tinted solid

Odor: Faint odor

Odor Threshold: No data available

pH: 4.5-7.4

Melting/Freezing Point: Not applicable

Boiling Point: Not applicable Flash Point: No data available Evaporation Rate: No data available Flammability (Solid; Gas): Not applicable

Upper/Lower Flammability or Explosion Limits: No data available

Vapor Pressure (mm Hg @ 20°C (68° F): No data available

Vapor Density: No data available Relative Density: No data available Specific Gravity: Not available Solubility in Water: non-soluble Weight per Gallon: No data available

Partition Coefficient (n-octanol/water): No data available

Auto-Ignition Temperature: No data available **Decomposition Temperature:** No data available

Viscosity: No data available

9.2 Other Information: No data available

SECTION 10 - STABILITY AND REACTIVITY

This product is not reactive. 10.1 Reactivity:

10.2 Stability: Stable under conditions of normal storage and use.

10.3 Possibility of Hazardous Reactions: Not identified.

Extreme temperatures, heat, flame, prolonged storage at elevated 10.4 Conditions to Avoid:

temperatures.

10.5 Incompatible Substances: Strong oxidizing agents.

10.6 Hazardous Decomposition Products: Will not occur if handled and stored properly. In case of a fire, oxides of

carbon and silicon, hydrocarbons, fumes or vapors, and smoke may be

produced.

SECTION 11 - TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects:

Toxicity Data:

Carcinogenicity

Proprietary Ingredient	Proprietary	LD50 Oral – Rat	2,660 mg/kg
------------------------	-------------	-----------------	-------------

Wood dust (softwood or hardwood): OSHA hazard rating = 3.3; moderately toxic with probable oral lethal dose to humans being 0.5 - 5 g/kg (about 1 pound for a 150 pound person). Source: OSHA Regulated hazardous Substances, Government Institutes, Inc.

> Ingredients within this product are found on one or more of the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are considered to be cancer-causing agents by these agencies.

Wood Dust is listed as a carcinogen by NTP, OSHA, or IARC. IARC -

Group 1: Carcinogenic to humans; sufficient evidence of carcinogenicity. This classification is primarily based on studies showing association exposure to wood dust and Adenocarcinoma of the nasal cavities and Paranasal sinuses. IARC did not find sufficient evidence of an association between occupational exposure to wood

dust and other cancers.

Irritancy: This product may cause mechanical irritation.

Sensitization to the Product: This product is not expected to cause skin sensitization.

FLAMETECH – FIRE TREATED WOOD

This product does not contain ingredients that are suspected to be a **Germ Cell Mutagenicity:**

germ cell mutagenic.

Reproductive Toxicity: This product contains a component expected to be a reproductive

toxicant.

SECTION 12 - ECOLOGICAL INFORMATION

12.1 Toxicity

LC50 -Fish-96h 279 mg/l **Proprietary Ingredient** Proprietary EC50- Water flea- 48h 133 mg/l

12.2 Persistence and Degradability: No specific data available on this product. 12.3 Bioaccumulative Potential: No specific data available on this product. 12.4 Mobility in Soil: No specific data available on this product. 12.5 Results of PBT and vPvB Assessment: No specific data available on this product.

12.6 Other Adverse Effects: No data available

12.7 Water Endangerment Class: At present, there are no ecotoxicological assessments for this product.

SECTION 13 - DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods: Waste disposal must be in accordance with appropriate U.S. Federal.

State, and local regulations, those of Australia, EU Member States and

Japan.

13.2 EU Waste Code: Not determined

SECTION 14 - TRANSPORTATION INFORMATION

14.1 U.S. Department of Transportation (DOT) Shipping Regulations:

This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

UN Identification Number: Not Regulated

Proper Shipping Name: None **Hazard Class Number and Description:** None **Packing Group:** None DOT Label(s) Required: None North American Emergency Response Guidebook Number: None

14.2 Environmental Hazards: The components of this product are not designated by the Marine Pollutant:

None

Department of Transportation to be Marine Pollutants (49 CFR

This product is not considered as dangerous goods.

172.101, Appendix B).

14.3 Special Precaution for User:

14.4 International Air Transport Association Shipping

Information (IATA):

This product is not considered as dangerous goods.

14.5 International Maritime Organization Shipping Information

(IMO):

SECTION 15 - REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations Specific for the Substance or Mixture:

United States Regulations:

U.S. SARA Reporting Requirements:

The components of this product are subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

U.S. SARA 311/312:

Acute Health: No; Chronic Health: Yes; Fire: No; Reactivity; No

U.S. SARA 313: None known

U.S. CERCLA Reportable Quantity:

None known

FLAMETECH - FIRE TREATED WOOD

U.S. TSCA Inventory Status:

The components of this product are listed on the TSCA Inventory or are exempted from listing.

Other U.S. Federal Regulations:

None known

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65):

This product does contain ingredients on the Proposition 65 Lists.

15.2 Canadian Regulations:

Canadian DSL/NDSL Inventory Status:

Components are DSL Listed, NDSL Listed and/or are exempt from listing

Other Canadian Regulations:

Not applicable

Canadian Environmental Protection Act (CEPA) Priorities Substances Lists:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

Canadian WHMIS Classification and Symbols:

Classified per WHMIS 2015 Controlled Product Regulations.

15.3 European Economic Community Information:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC, 2015/830/EU and subsequent Directives. See Section 2 for Details.

Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

15.4 Australian Information for Product:

Components of this product are listed on the International Chemical Inventory list.

15.5 Japanese Information for Product:

Japanese Minister of International Trade and Industry (MITI) Status: The components of this product are not listed as Class I specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

15.6 International Chemical Inventories:

Listing of the components on individual country Chemical Inventories is as follows:

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed

U.S. TSCA: Listed

SECTION 16 - ADDITIONAL INFORMATION

Prepared By: Chris Eigbrett (MSDS to GHS Compliance)

Date of Printing: February 21, 2023

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. Performance Formulation Solutions assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Performance Formulation Solutions assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user

END OF SDS SHEET